

TESTED & VERIFIED



BRAND	Piping Rock
PRODUCT	Biotin Collagen
ITEM NO.	46957
PACKAGING LOT NO. *	553978
PACKAGING DATE	2026-01-09

*Typical Certificate of Analysis for this product - your lot number and date may differ

WEIGHT

Weight PASS

INGREDIENT TESTING

Ingredients	Label Claim	Result
Vitamin A (as Retinyl Acetate)	1,200 mcg	PASS
Vitamin D (as D3 Cholecalciferol)	3 mcg	PASS
Thiamin (Vitamin B-1)	5 mg	PASS
Riboflavin (Vitamin B-2)	5 mg	PASS
Niacin (as Niacinamide)	5 mg	PASS
Vitamin B-6 (as Pyridoxine Hydrochloride)	5 mg	PASS
Folate	340 mcg DFE	PASS
Vitamin B-12 (as Methylcobalamin)	20 mcg	PASS
Biotin (as d-Biotin)	10,000 mcg	PASS
Pantothenic Acid (as d-Calcium Pantothenate)	50 mg	PASS
Marine Collagen Bio-Peptides™	325 mg	PASS
BioActive Keratin Peptides™	200 mg	PASS
Hyaluronic Acid (as Sodium Hyaluronate)	50 mg	PASS
Special Blend	220 mg	PASS

SUPERIOR QUALITY GUARANTEED

PipingRock®

TESTED & VERIFIED

BRAND	Piping Rock
PRODUCT	Biotin Collagen
ITEM NO.	46957
PACKAGING LOT NO. *	553978
PACKAGING DATE	2026-01-09



*Typical Certificate of Analysis for this product - your lot number and date may differ

MICROBIOLOGICAL ANALYSIS

cfu/g = colony-forming unit per gram

	Limits	Result
Yeast & Mold	$\leq 10^3$ cfu/g	✓ PASS
Total Plate Count	$\leq 10^4$ cfu/g	✓ PASS
E. coli	Absent	✓ PASS
S. aureus	Absent	✓ PASS
Salmonella spp	Absent	✓ PASS



SUPERIOR QUALITY GUARANTEED

PipingRock